Journal of MOLECULAR BIOLOGY

Editor in Chief
S. BRENNER

Editors

P. Chambon
G. A. Gilbert
M. Gottesman
R. Huber
A. Klug
B. Mach
K. Matsubara
P. von Hippel

Associate Editors

C. R. Cantor
A. R. Fersht
I. Herskowitz
R. Laskey
V. Luzzati
B. Matthews
J. H. Miller
M. F. Moody

Volume 197
5 September to 20 October 1987

ACADEMIC PRESS
(Harcourt Brace Jovanovich, Publishers)
London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1987, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 197

Number 1, 5 September 1987

Tora, L. Financsek, I. and Hidvégi, E. J., Characterization of the L1NH Repeat Family of Novikoff Hepatoma 1

Delidakis, C. and Kafatos, F. C., Amplification of a Chorion Gene Cluster in *Drosophila* is Subject to Multiple *cis*-regulatory Elements and to Long-range Position Effects . . 11

Horazdovsky, B. F. and Hogg, R. W., High-affinity L-Arabinose Transport Operon. Gene Product Expression and mRNAs 27

Scripture, J. B., Voelker, C., Miller, S., O'Donnell, R. T., Polgar, L., Rade, J., Horazdovsky, B. F. and Hogg, R. W., High-affinity L-Arabinose Transport Operon. Nucleotide Sequence and Analysis of Gene Products 37

Colasanti, J. and Denhardt, D. T., Mechanism of Replication of Bacteriophage ϕX174. XXII. Site-specific Mutagenesis of the *A** Gene Reveals that A* Protein is Not Essential for ϕX174 DNA Replication 47

Van Kaer, L., Van Montagu, M. & Dhaese, P., Transcriptional Control in the *Eco*RI–F Immunity Region of *Bacillus subtilis* Phage ϕ105. Identification and Unusual Structure of the Operator 55

Silva, A. M. and Rossmann, M. G., Refined Structure of Southern Bean Mosaic Virus at 2·9 Å Resolution 69

Walker, J. E., Runswick, M. J. and Poulter, L., ATP Synthase from Bovine Mitochondria. The Characterization and Sequence Analysis of Two Membrane-associated Sub-units and of the Corresponding cDNAs 89

Lecomte, J. T. J., La Mar, G. N., Smit, J. D. G., Winterhalter, K. H., Smith, K. M., Langry, K. C. and Leung, H.-K., Structural and Electronic Properties of the Liver Fluke Hemoglobin Heme Cavity by Nuclear Magnetic Resonance: Hemin Isotope Labeling 101

Delepierre, M., Dobson, C. M., Karplus, M., Poulsen, F. M., States, D. J. and Wedin, R. E., Electrostatic Effects and Hydrogen Exchange Behaviour in Proteins. The pH Dependence of Exchange Rates in Lysozyme 111

Appendix: States, D. J. and Karplus, M., A Model for Electrostatic Effects in Proteins 122

Chaffotte, A.-F. and Goldberg, M. E., Kinetics of the Spontaneous Transient Unfolding of a Native Protein Studied with Monoclonal Antibodies. Monomer/Dimer Transition in the Tryptophan-synthase β_2 Subunit. 131

Letters to the Editor

Jain, S., Zon, G. and Sundaralingam, M., The Potentially *Z*-DNA-forming Sequence d(GTGTACAC) Crystallizes as *A*-DNA 141

Pays, E. and Murphy, N. B., DNA-binding Fingers Encoded by a Trypanosome Retroposon 147

Royer, W. E., Jr, Hendrickson, W. A. and Love, W. E., Crystals of *Lumbricus* Erythrocruorin 149

Erratum 155

Number 2, 20 September 1987

Greenstein, D. and Horiuchi, K., Interaction Between the Replication Origin and the Initiator Protein of the Filamentous Phage f1. Binding Occurs in Two Steps . . 157

Dunon-Bluteau, D., Cordonnier, A. and Brun, G., DNA Synthesis in a Mitochondrial Lysate of *Xenopus laevis* Oocytes. H Strand Replication *in Vitro* 175

Acevedo, O. L. and Orgel, L. E., Non-enzymatic Transcription of an Oligodeoxynucleotide 14 Residues Long 187

Helmstetter, C. E. and Leonard, A. C., Mechanism for Chromosome and Minichromosome Segregation in *Escherichia coli* 195

Wais-Steider, C., White, N. S., Gilbert, D. S. and Eagles, P. A. M., X-ray Diffraction Patterns from Microtubules and Neurofilaments in Axoplasm 205

Guo, P., Peterson, C. and Anderson, D., Initiation Events in *in-Vitro* Packaging of Bacteriophage ϕ29 DNA–gp3 219

Guo, P., Peterson, C. and Anderson, D., Prohead and DNA–gp3-dependent ATPase Activity of the DNA Packaging Protein gp16 of Bacteriophage ϕ29 229

Hatzfeld, M., Maier, G. and Franke, W. W., Cytokeratin Domains Involved in Heterotypic Complex Formation Determined by *in-Vitro* Binding Assays . . . 237

Pjura, P. E., Grzeskowiak, K. and Dickerson, R. E., Binding of Hoechst 33258 to the Minor Groove of *B*-DNA 257

Appendix: Helix Parameters for the Hoechst 33258–DNA Complex 268

Sheriff, S., Hendrickson, W. A. and Smith, J. L., Structure of Myohemerythrin in the Azidomet State at 1·7/1·3 Å Resolution 273

Paulsson, M., Yurchenco, P. D., Ruben, G. C., Engel, J. and Timpl, R., Structure of Low Density Heparan Sulfate Proteoglycan Isolated from a Mouse Tumor Basement Membrane 297

Grütter, M. G., Gray, T. M., Weaver, L. H., Alber, T., Wilson, K. & Matthews, B. W., Structural Studies of Mutants of the Lysozyme of Bacteriophage T4. The Temperature-sensitive Mutant Protein Thr157 → Ile 315

Argos, P., Analysis of Sequence-similar Pentapeptides in Unrelated Protein Tertiary Structures. Strategies for Protein Folding and a Guide for Site-directed Mutagenesis . 331

Gamper, H. B., Cimino, G. D. and Hearst, J. E., Solution Hybridization of Crosslinkable DNA Oligonucleotides to Bacteriophage M13 DNA. Effect of Secondary Structure on Hybridization Kinetics and Equilibria 349

Letters to the Editor

Suh, S. W., Cascio, D., Chapman, M. S. and Eisenberg, D., A Crystal Form of Ribulose-1,5-bisphosphate Carboxylase/Oxygenase from *Nicotiana tabacum* in the Activated State 363

Anton, I. A., Duncan, K. and Coggins, J. R., A Eukaryotic Repressor Protein, the *qa*-1S Gene Product of *Neurospora crassa*, is Homologous to Part of the *arom* Multifunctional Enzyme 367

Fujishima, A., Hakoshima, T. and Tomita, K-i., Crystallographic Characterization of Recombinant Human Interleukin 2. 373

Guillon, V., Alzari, P. M. and Poljak, R. J., Preliminary Crystallographic Study of a Complex Between an Heteroclitic Anti-hen Egg-white Lysozyme Antibody and the Heterologous Antigen Pheasant Egg-white Lysozyme 375

Sesay, M. A., Ammon, H. L. and Armstrong, R. N., Crystallization and a Preliminary X-ray Diffraction Study of Isozyme 3–3 of Glutathione *S*-Transferase from Rat Liver 377

Number 3, 5 October 1987

Bains, W., Codon Distribution in Vertebrate Genes May Be Used to Predict Gene Length 379

Appendix: Sequences Used in This Study and Their Accuracy 385

Cribbs, D. L., Gillam, I. C. and Tener, G. M., Nucleotide Sequences of Three $tRNA^{Ser}$ from *Drosophila melanogaster* Reading the Six Serine Codons 389

Cribbs, D. L., Leung, J., Newton, C. H., Hayashi, S., Miller, R. C., Jr and Tener, G. M., Extensive Microheterogeneity of Serine tRNA Genes from *Drosophila melanogaster* 397

Srikantha, T., Landsman, D. and Bustin, M., Retropseudogenes for Human Chromosomal Protein HMG-17 405

Fagrelius, T. J., Strand, A. D. and Livingston, D. M., Changes in the DNase I Sensitivity of DNA Sequences within the Yeast 2 μm Plasmid Nucleoprotein Complex Effected by Plasmid-encoded Products 415

Maire, P., Gautron, S., Hakim, V., Gregori, C., Mennecier, F. and Kahn, A., Characterization of Three Optional Promoters in the 5′ Region of the Human Aldolase A Gene 425

Blumer, K. J., Ivey, M. R. and Steege, D. A., Translational Control of Phage f1 Gene Expression by Differential Activities of the Gene V, VII, IX and VIII Initiation Sites 439

Mechulam, Y., Blanquet, S. and Fayat, G., Dual Level Control of the *Escherichia coli pheST-himA* Operon Expression. $tRNA^{Phe}$-dependent Attenuation and Transcriptional Operator-repressor Control by *himA* and the SOS Network 453

Greaves, D. R. and Borst, P., *Trypanosoma brucei* Variant-specific Glycoprotein Gene Chromatin is Sensitive to Single-strand-specific Endonuclease Digestion . . . 471

Drew, H. R. and McCall, M. J., Structural Analysis of a Reconstituted DNA Containing Three Histone Octamers and Histone H5 485

Appendix: A Model to Explain the Energetics of DNA Positioning About the Histone Octamer 509

Park, H.-S., Arnott, S., Chandrasekaran, R., Millane, R. P. and Campagnari, F., Structure of the α-Form of Poly[d(A)]·Poly[d(T)] and Related Polynucleotide Duplexes 513

Frey, M., Sieker, L., Payan, F., Haser, R., Bruschi, M., Pepe, G. and LeGall, J., Rubredoxin from *Desulfovibrio gigas*. A Molecular Model of the Oxidized Form at 1·4 Å Resolution 525

Calvet, J. P. and Myers, J. A., *In-vivo* Secondary Structure Analysis of the Small Nuclear RNA U1 Using Psoralen Cross-linking 543

Hardin, C. C. and Horowitz, J., Mobility of Individual 5-Fluorouridine Residues in 5-Fluorouracil-substituted *Escherichia coli* Valine Transfer RNA. A ^{19}F Nuclear Magnetic Resonance Relaxation Study 555

Gollnick, P., Hardin, C. C. and Horowitz, J., ^{19}F Nuclear Magnetic Resonance as a Probe of Anticodon Structure in 5-Fluorouracil-substituted *Escherichia coli* Transfer RNA 571

White, J. H., Millett, K. C. and Cozzarelli, N. R., Description of the Topological Entanglement of DNA Catenanes and Knots by a Powerful Method Involving Strand Passage and Recombination 585

Letter to the Editor

McClain, W. H. and Seidman, J. G., Genetic Conversion of G·C Base-pairs to A·U Base-pairs in a Transfer RNA 605

Announcement 609

Number 4, 20 October 1987

Hughes, D., Mutant Forms of *tufA* and *tufB* Independently Suppress Nonsense Mutations 611

Shenoy, S., Ehrlich, K. C. and Ehrlich, M., Repair of Thymine·Guanine and Uracil·Guanine Mismatched Base-pairs in Bacteriophage M13mp18 DNA Heteroduplexes 617

Fanning, T. G., Origin and Evolution of a Major Feline Satellite DNA 627

Engström, P., Zambryski, P., Van Montagu, M. and Stachel, S., Characterization of *Agrobacterium tumefaciens* Virulence Proteins Induced by the Plant Factor Acetosyringone 635

Van Delft, J. H. M., Schmidt, D. S. and Bosch, L., The tRNA-*tufB* Operon. Transcription Termination and Processing Upstream from *tufB* 647

Nomura, T., Fujita, N. and Ishihama, A., Expression of the *leuX* Gene in *Escherichia coli*. Regulation at Transcription and tRNA Processing Steps 659

Spungin, B., Avolio, J., Arden, S. and Satir, P., Dynein Arm Attachment Probed with a Non-hydrolyzable ATP Analog. Structural Evidence for Patterns of Activity . . 671

Popp, D., Lednev, V. V. and Jahn, W., Methods of Preparing Well-orientated Sols of f-Actin Containing Filaments Suitable for X-ray Diffraction 679

Horjales, E., Eklund, H. and Brändén, C.-I., Comparison of Computer Modelling and X-ray Results of the Binding of a Pyrazole Derivative to Liver Alcohol Dehydrogenase 685

Monaco, H. L., Zanotti, G., Spadon, P., Bolognesi, M., Sawyer, L. and Eliopoulos, E. E., Crystal Structure of the Trigonal Form of Bovine Beta-lactoglobulin and of its Complex with Retinol at 2·5 Å Resolution 695

McClellan, J. A. and Lilley, D. M. J., A Two-state Conformational Equilibrium for Alternating $(A\text{-}T)_n$ Sequences in Negatively Supercoiled DNA 707

Appendix: 719

Letters to the Editor

Waterman, M. S. and Eggert, M., A New Algorithm for Best Subsequence Alignments with Application to tRNA–rRNA Comparisons 723

Swanberg, S. L. and Wang, J. C., Cloning and Sequencing of the *Escherichia coli gyrA* Gene Coding for the A Subunit of DNA Gyrase 729

Sittler, A., Gallinaro, H., Kister, L. and Jacob, M., *In-vivo* Degradation Pathway of an Excised Intervening Sequence 737

Stevens, E. S., Morris, E. R., Charlton, J. A. and Rees, D. A., Vacuum Ultraviolet Circular Dichroism of Fibronectin. Dominant Tyrosine Effects 743

Index to Volume 197

*A** gene site-specific mutagenesis reveals that *A** protein is not essential for ϕX174 DNA replication, 47
Acetosyringone induction of *Agrobacterium tumefaciens* virulence proteins; characterization, 635
Acevedo, O. L. & Orgel, L. E., Non-enzymatic transcription of an oligodeoxynucleotide 14 residues long, 187
f-Actin sols, well-orientated, containing filaments suitable for X-ray diffraction; methods preparation, 679
Agrobacterium tumefaciens virulence proteins induced by the plant factor acetosyringone, characterization, 635
Alber, T. (see also Grütter, M. G.), 315
Aldolase A gene, human, characterization of three optional promoters in the 5′ region, 425
Alignments, best subsequence, a new algorithm, with application to tRNA–rRNA comparisons, 723
Alzari, P. M. (see also Guillon, V.), 375
Ammon, H. L. (see also Sesay, M. A.), 377
Amplification of a chorion gene cluster in *Drosophila* is subject to multiple *cis*-regulatory elements and to long-range position effects, 11
Anderson, D. (see also Guo, P.), 219, 229
Anticodon structure in 5-fluorouracil-substituted *Escherichia coli* tRNA, ^{19}F n.m.r. as a probe, 571
Antigen-antibody complexes: preliminary crystallographic study of a complex between an heteroclitic anti-hen egg-white lysozyme antibody and the heterologous antigen pheasant egg-white lysozyme, 375
Anton, I. A., Duncan, K. & Coggins, J. R., A eukaryotic repressor protein, the *qa*-1S gene product of *Neurospora crassa*, is homologous to part of the *arom* multifunctional enzyme, 367
L-Arabinose transport operon, high-affinity; gene product expression and mRNAs, 27
L-Arabinose transport operon, high-affinity; nucleotide sequence and analysis of gene products, 37
Arden, S. (see also Spungin, B.), 671
Argos, P., Analysis of sequence-similar pentapeptides in unrelated protein tertiary structures
Strategies for protein folding and a guide for site-directed mutagenesis, 331
Armstrong, R. N. (see also Sesay, M. A.), 377
Arnott, S. (see also Park, H.-S.), 513
arom multifunctional enzyme, homology with *qa*-1S gene product of *Neurospora crassa*, 367
ATP analog, non-hydrolyzable, as probe for dynein arm attachment. Structural evidence for patterns of activity, 671
ATP synthase from bovine mitochondria. Characterization and sequence analysis of two membrane-associated sub-units and of the corresponding cDNAs, 89
ATPase activity, prohead and DNA-gp3-dependent, of the DNA packaging protein gp16 of bacteriophage ϕ29, 229
A·U base-pairs, genetic conversion from G·C base-pairs in a transfer RNA, 605
Avolio, J. (see also Spungin, B.), 671
Axoplasm, X-ray diffraction patterns from microtubules and neurofilaments, 205
Azidomet state myohemerythrin, structure at 1·7/1·3 Å resolution, 273

Bacillus subtilis phage ϕ105, transcriptional control in the *Eco*RI–F immunity region; identification and unusual structure of the operator, 55
Bacteriophage M13 DNA, and solution hybridization of crosslinkable DNA oligonucleotides; effect of secondary structure on hybridization kinetics and equilibria, 349
Bacteriophage M13mp18 DNA heteroduplexes, repair of thymine·guanine and uracil·guanine mismatched base-pairs, 617
Bacteriophage ϕX174 DNA replication, site-specific mutagenesis of the *A** gene reveals that *A**protein is not essential, 47
Bacteriophage ϕ29, prohead and DNA-gp3-dependent ATPase activity of the DNA packaging protein gp16, 229
Bacteriophage ϕ29 DNA-gp3, initiation events in *in-vitro* packaging, 219
Bacteriophage T4, structural studies of mutants of the lysozyme; the temperature-sensitive mutant protein Thr157 → Ile, 315
Bains, W., Codon distribution in vertebrate genes may be used to predict gene length, 379
Basement membrane, tumor, mouse; structure of low density heparan sulfate proteoglycan, 297
Base-pairs, mismatched, thymine·guanine and uracil·guanine, repair in bacteriophage M13mp18 DNA heteroduplexes, 617
Beta-lactoglobulin, bovine, crystal structure of the trigonal form and of its complex with retinol at 2·5 Å resolution, 695
Binding assays, *in-vitro*, in determination of cytokeratin domains involved in heterotypic complex formation, 237
Binding of Hoechst 33258 to the minor groove of *B*-DNA, 257
Binding occurs in two steps; interaction between the replication origin and the initiator protein of the filamentous phage f1, 157
Binding of a pyrazole derivative to liver alcohol dehydrogenase, comparison of computer modelling and X-ray results, 685
Blanquet, S. (see also Mechulam, Y.), 453
Blumer, K. J., Ivey, M. R. & Steege, D. A., Translational control of phage f1 gene expression by differential activities of the gene V, VII, IX and VIII initiation sites, 439
Bolognesi, M. (see also Monaco, H. L.), 695
Borst, P. (see also Greaves, D. R.), 471
Bovine beta-lactoglobulin, crystal structure of the trigonal form and of its complex with retinol at 2·5 Å resolution, 695
Bovine mitochondria, ATP synthase; characterization and sequence analysis of two membrane-associated subunits and of the corresponding cDNAs, 89
Bränden, C.-I. (see also Horjales, E.), 685
Brun, G. (see also Dunon-Bluteau, D.), 175
Bruschi, M. (see also Frey, M.), 525
Bustin, M. (see also Srikantha, T.), 405

Calvet, J. P. & Myers, J. A., *In-vivo* secondary structure analysis of the small nuclear RNA U1 using psoralen cross-linking, 543
Campagnari, F. (see also Park, H.-S.), 513
Cascio, D. (see also Suh, S. W.), 363
Catenanes and knots, description of topological entanglement by a powerful method involving strand passage and recombination, 585
Chaffotte, A.-F. & Goldberg, M. E., Kinetics of the spontaneous transient unfolding of a native protein studied with monoclonal antibodies. Monomer/dimer transition in the tryptophan-synthase β_2 subunit, 131
Chandrasekaran, R. (see also Park, H.-S.), 513
Chapman, M. S. (see also Suh, S. W.), 363
Charlton, J. A. (see also Stevens, E. S.), 743
Chorion gene cluster amplification in *Drosophila* is subject to multiple *cis*-regulatory elements and to long-range position effects, 11
Chromatin, *Trypanosoma brucei* variant-specific glycoprotein gene, is sensitive to single-strand-specific endonuclease digestion, 471
Chromosomal protein HMG-17, human; retropseudogenes, 405
Chromosome and minichromosome segregation, mechanism, in *Escherichia coli*, 195
Cimino, G. D. (see also Gamper, H. B.), 349
Circular dichroism, vacuum ultraviolet, of fibronectin; dominant tyrosine effects, 743
cis-regulatory elements, multiple, and amplification of a chorion gene cluster in *Drosophila*, 11
Cloning and sequencing of the *Escherichia coli gyrA* gene coding for the A subunit of DNA gyrase, 729
Codon distribution in vertebrate genes may be used to predict gene length, 379
Coggins, J. R. (see also Anton, I. A.), 367
Colasanti, J. & Denhardt, D. T., Mechanism of replication of bacteriophage ϕX174. XXII. Site-specific mutagenesis of the *A** gene reveals that A* protein is not essential for ϕX174 DNA replication, 47
Complex formation, heterotypic; cytokeratin domains determined by *in-vitro* binding assays, 237
Computer modelling compared with X-ray results of the binding of a pyrazole derivative to liver alcohol dehydrogenase, 685

Conformational equilibrium, two-state for alternating $(A\text{-}T)_n$ sequences in negatively supercoiled DNA, 707
Cordonnier, A. (see also Dunon-Bluteau, D.), 175
Cozzarelli, N. R. (see also White, J. H.), 585
Cribbs, D. L., Gillam, I. C. & Tener, G. M., Nucleotide sequences of three $tRNA^{Ser}$ from *Drosophila melanogaster* reading the six serine codons, 389
Cribbs, D. L., Leung, J., Newton, C. H., Hayashi, S., Miller, R. C., Jr & Tener, G. M., Extensive microheterogeneity of serine tRNA genes from *Drosophila melanogaster*, 397
Crystal form of ribulose-1,5-bisphosphate carboxylase/oxygenase from *Nicotiana tabacum* in the activated state, 363
Crystal structure of the trigonal form of bovine beta-lactoglobulin and of its complex with retinol at 2·5 Å resolution, 695
Crystals of *Lumbricus* erythrocruorin, 149
Crystallization and a preliminary X-ray diffraction study of isozyme 3–3 of glutathione *S*-transferase from rat liver, 377
Crystallographic characterization of recombinant human interleukin 2, 373
Crystallographic study, preliminary, of a complex between an heteroclitic anti-hen egg-white lysozyme antibody and the heterologous antigen pheasant egg-white lysozyme, 375
Cytokeratin domains involved in heterotypic complex formation determined by *in-vitro* binding assays, 237

Degradation pathway, *in vivo*, of an excised intervening sequence, 737
Delepierre, M., Dobson, C. M., Karplus, M., Poulsen, F. M., States, D. J. & Wedin, R. E., Electrostatic effects and hydrogen exchange behaviour in proteins. The pH dependendence of exchange rates in lysozyme, 111
Delidakis, C. & Kafatos, F. C., Amplification of a chorion gene cluster in *Drosophila* is subject to multiple *cis*-regulatory elements and to long-range position effects, 11
Denhardt, D. T. (see also Colastanti, J.), 47
DNA catenanes and knots, description of topological entanglement by a powerful method involving strand passage and recombination, 585
DNA gyrase, cloning and sequencing of the *Escherichia coli gyr*A gene coding for the A subunit, 729
DNA, M13mp18, heteroduplexes, repair of thymine·guanine and uracil·guanine mismatched base-pairs, 617
DNA oligonucleotides, crosslinkable, solution hybridization to bacteriophage M13 DNA. Effect of secondary structure on hybridization kinetics and equilibria, 349
DNA positioning about the histone octamer, a model to explain the energetics, 509
DNA, reconstituted, containing three histone octamers and histone H5; structural analysis, 485
DNA replication, ϕX174; site-specific mutagenesis of the *A** gene reveals that *A** protein is not essential, 47
DNA, satellite, feline, origin and evolution, 627
DNA, supercoiled, a two-state conformational equilibrium for alternating $(A\text{-}T)_n$ sequences, 707
DNA synthesis in a mitochondrial lysate of *Xenopus laevis* oocytes. H strand replication *in vitro*, 175
DNA-binding fingers encoded by a trypanosome retroposon, 147
DNA-gp3, ϕ29, initiation events in *in-vitro* packaging, 219
DNA-gp3-dependent ATPase activity of the DNA packaging protein gp16 of bacteriophage ϕ29, 229
DNase I sensitivity changes of DNA sequences within the yeast 2 μm plasmid nucleoprotein complex effected by plasmid-encoded products, 415
A-DNA crystallizes from the potentially *Z*-DNA-forming sequence d(GTGTACAC), 141
B-DNA, binding of Hoechst 33258 to the minor groove, 257
cDNAs, characterization and sequence analysis; ATP synthase from bovine mitochondria, 89
Z-DNA-forming sequence d(GTGTACAC) crystallizes as *A*-DNA, 141
Desulfovibrio gigas rubredoxin; a molecular model of the oxidized form at 1·4 Å resolution, 525
d(GTGTACAC) sequence, potentially *Z*-DNA-forming, crystallizes as *A*-DNA, 141
Dhaese, P. (see also Van Kaer, L.), 55
Dickerson, R. E. (see also Pjura, P. E.), 257
Dobson, C. M. (see also Delepierre, M.), 111
Domains, cytokeratin, involved in heterotypic complex formation; determination by *in-vitro* binding assays, 237
Drew, H. R. & McCall, M. J., Structural analysis of a reconstituted DNA containing three histone octamers and histone H5, 485
Drosophila, amplification of a chorion gene cluster is subject to multiple *cis*-regulatory elements and to long-range position effects, 11
Drosophila melanogaster, extensive microheterogeneity of serine tRNA genes, 397
Duncan, K. (see also Anton, I. A.), 367
Dunon-Bluteau, D., Cordonnier, A. & Brun, G., DNA synthesis in a mitochondrial lysate of *Xenopus laevis* oocytes. H strand replication *in vitro*, 175
Dyneine arm attachment probed with a non-hydrolyzable ATP analog. Structural evidence for patterns of activity, 671

Eagles, P. A. M. (see also Wais-Steider, C.), 205
*E*RI-F immunity region of *Bacillus subtilis* phage ϕ105. Identification and unusual structure of the operator, 55
Eggert, M. (see also Waterman, M. S.), 723
Ehrlich, K. C. (see also Shenoy, S.), 617
Ehrlich, M. (see also Shenoy, S.), 617
Eisenberg, D. (see also Suh, S. W.), 363
Eklund, H. (see also Horjales, E.), 685
Electrostatic effects and hydrogen exchange behaviour in proteins; the pH dependence of exchange rates in lysozyme, 111
Electrostatic effects in proteins, a model, 122
Eliopoulos, E. E. (see also Monaco, H. L.), 695
Endonuclease digestion, single-strand-specific, and *Trypanosoma brucei* variant-specific glycoprotein gene chromatin, 471
Engel, J. (see also Paulsson, M.), 297
Engström, P., Zambryski, P., Van Montagu, M. & Stachel, S., Characterization of *Agrobacterium tumefaciens* virulence proteins induced by the plant factor acetosyringone, 635
Erythrocruorin, *Lumbricus*, crystals, 149
Escherichia coli, expression of the *leuX* gene; regulation at transcription and tRNA processing steps, 659
Escherichia coli, mechanism for chromosome and mini-chromosome segregation, 195
Escherichia coli gyrA gene coding for the A subunit of DNA gyrase, cloning and sequencing, 729
Escherichia coli pheST-himA operon expression, dual level control; $tRNA^{Phe}$-dependent attenuation and transcriptional operator-repressor control by *himA* and the SOS network, 453
Escherichia coli tRNA, 5-fluorouracil-substituted, ^{19}F n.m.r. as a probe of anticodon structure, 571
Escherichia coli valine tRNA, 5-fluorouracil-substituted, and mobility of individual 5-fluororidine residues; a ^{19}F n.m.r. relaxation study, 555
Expression of the *leuX* gene in *Escherichia coli*. Regulation at transcription and tRNA processing steps, 659
Evolution of a major feline satellite DNA, 627

f1 (see also Phage), 157, 439
Fagrelius, T. J., Strand, A. D. & Livingston, D. M.,Changes in the DNase I sensitivity of DNA sequences within the yeast 2 μm plasmid nucleoprotein complex effected by plasmid-encoded products, 415
Fanning, T. G., Origin and evolution of a major feline satellite DNA, 627
Fayat, G. (see also Mechulam, Y.), 453
Feline satellite DNA, major, origin and evolution, 627
Fibronectin, vacuum ultraviolet circular dichroism; dominant tyrosine effects, 743
Filaments suitable for X-ray diffraction, methods of preparing well-orientated sols of f-actin, 679
Financsek, I. (see also Tora, L.), 1
Fingers, DNA-binding, encoded by a trypanosome retroposon, 147
5-Fluorouracil-substituted *Escherichia coli* tRNA, ^{19}F n.m.r. as a probe of anticodon structure, 571

5-fluorouridine residues, mobility in 5-fluorouracil-substituted *Escherichia coli* valine tRNA; a ^{19}F n.m.r. relaxation study, 555
5′ region of the human aldolase A gene, characterization of three optional promoters, 425
^{19}F n.m.r. as a probe of anticodon structure in 5-fluorouracil-substituted *Escherichia coli* tRNA, 571
^{19}F n.m.r. relaxation study; mobility of individual 5-fluorouridine residues in 5-fluorouracil-substituted *Escherichia coli* valine tRNA, 555
Folding, protein, strategies; analysis of sequence-similar pentapeptides in unrelated protein tertiary structures, 331
Franke, W. W. (see also Hatzfeld, M.), 237
Frey, M., Sieker, L., Payan, F., Haser, R., Bruschi, M., Pepe, G. & Legall, J., Rubredoxin from *Desulfovibrio gigas*. A molecular model of the oxidized form at 1·4 Å resolution, 525
Fujishima, A., Hakoshima, T. & Tomita, K-i., Crystallographic characterization of recombinant human interleukin 2, 373
Fujita, N. (see also Nomura, T.), 659

Gallinaro, H. (see also Sittler, A.), 737
Gamper, H. B., Cimino, G. D. & Hearst, J. E., Solution hybridization of crosslinkable DNA oligonucleotides to bacteriophage M13 DNA. Effect of secondary structure on hybridization kinetics and equilibria, 349
Gautron, S. (see also Maire, P.), 425
G·C base-pairs, genetic conversion to A·U base-pairs in a transfer RNA, 605
Gene chromatin, *Trypanosoma brucei* variant-specific glycoprotein, is sensitive to single-strand-specific endonuclease digestion, 471
Gene cluster, chorion, amplification in *Drosophila* is subject to multiple *cis*-regulatory elements and to long-range position effects, 11
Gene expression, phage f1, translational control by differential activities of the gene V, VII, IX and VIII initiation sites, 439
Gene, *gyr*A, *Escherichia coli*, for the A subunit of DNA gyrase, cloning and sequencing, 729
Gene, human aldolase A, characterization of three optional promoters in the 5′ region, 425
Gene length may be predicted by codon distribution in vertebrate genes, 379
Gene *leuX* expression, *Escherichia coli*; regulation at transcription and tRNA processing steps, 659
Gene product expression and mRNAs; high-affinity L-arabinose transport operon, 27
Gene product, *qa*-1S, of *Neurospora crassa*, is homologous to part of the *arom* multifunctional enzyme, 367
Gene products, analysis, and nucleotide sequence; high-affinity L-arabinose transport operon, 37
Genes, serine tRNA, from *Drosophila melanogaster*, extensive microheterogeneity, 397
Genes, vertebrate, codon distribution may be used to predict gene length, 379
Genetic conversion of G·C base-pairs to A·U base-pairs in a transfer RNA, 605
Gilbert, D. S. (see also Wais-Steider, C.), 205
Gillam, I. C. (see also Cribbs, D. L.), 389
Glutathione *S*-transferase from rat liver, crystallization and preliminary X-ray diffraction study of isozyme 3-3, 377
Goldberg, M. E. (see also Chaffotte, A.-F.), 131
Gollnick, P., Hardin, C. C. & Horowitz, J., ^{19}F nuclear magnetic resonance as a probe of anticodon structure in 5-fluorouracil-substituted *Escherichia coli* transfer RNA, 571
gp16 DNA packaging protein of bacteriophage ϕ29, prohead and DNA-gp3-dependent ATPase activity, 229
Gray, T. M. (see also Grütter, M. G.), 315
Greaves, D. R. & Borst, P., *Trypanosoma brucei* variant-specific glycoprotein gene chromatin is sensitive to single-strand-specific endonuclease digestion, 471
Greenstein, D. & Horiuchi, K., Interaction between the replication origin and the initiator protein of the filamentous phage f1. Binding occurs in two steps, 157
Gregori, C. (see also Maire, P.), 425
Grütter, M. G., Gray, T. M., Weaver, L. H., Alber, T., Wilson, K. & Matthews, B. W., Structural studies of mutants of the lysozyme of bacteriophage T4. The temperature-sensitive mutant protein Thr157 → Ile, 315
Grzeskowiak, K. (see also Pjura, P. E.), 257
Guillon, V., Alzari, P. M. & Poljak, R. J., Preliminary crystallographic study of a complex between an heteroclitic anti-hen egg-white lysozyme antibody and the heterologous antigen pheasant egg-white lysozyme, 375
Guo, P., Peterson, C. & Anderson, D., Initiation events in *in-vitro* packaging of bacteriophage ϕ29 DNA-gp3, 219
Guo, P., Peterson, C. & Anderson, D., Prohead and DNA-gp3-dependent ATPase activity of the DNA packaging protein gp16 of bacteriophage ϕ29, 229
*gyr*A gene, *Escherichia coli*, coding for the A subunit of DNA gyrase, cloning and sequencing, 729

H strand replication *in vitro*; DNA synthesis in a mitochondrial lysate of *Xenopus laevis* oocytes, 175
Hakim, V. (see also Maire, P.), 425
Hakoshima, T. (see also Fujishima, A.), 373
Hardin, C. C. & Horowitz, J., Mobility of individual 5-fluorouridine residues in 5-fluorouracil-substituted *Escherichia coli* valine transfer RNA. A ^{19}F nuclear magnetic resonance relaxation study, 555
Hardin, C. C. (see also Gollnick, P.), 571
Haser, R. (see also Frey, M.), 525
Hatzfeld, M., Maier, G. & Franke, W. W., Cytokeratin domains involved in heterotypic complex formation determined by *in-vitro* binding assays, 237
Hayashi, S. (see also Cribbs, D. L.), 397
Hearst, J. E. (see also Gamper, H. B.), 349
Helix parameters for the Hoechst 33258-DNA complex, 268
Helmstetter, C. E. & Leonard, A. C., Mechanism for chromosome and minichromosome segregation in *Escherichia coli*, 195
Hemin isotope labeling; structural and electronic properties of the liver fluke hemoglobin heme cavity by n.m.r., 101
Hemoglobin heme cavity, liver fluke, structural and electronic properties by n.m.r.; hemin isotope labeling, 101
Hendrickson, W. A. (see also Royer, W. E.), 149
Hendrickson, W. A. (see also Sheriff, S.), 273
Heparan sulfate proteoglycan isolated from a mouse tumor basement membrane; structure, 297
Hepatoma, Novikoff, characterization of the L1NH repeat family, 1
Heteroclitic anti-hen egg-white lysozyme antibody, complex with the heterologous antigen pheasant egg-white lysozyme, preliminary crystallographic study, 375
Heteroduplexes, M13mp18 DNA, repair of thymine·guanine and uracil·guanine mismatched base-pairs, 617
Hidvégi, E. J. (see also Tora, L.), 1
himA, and dual level control of the *Escherichia coli pheST-himA* operon expression, 453
Histone octamer, a model to explain the energetics of DNA positioning, 509
Histone octamers, three, and histone H5, contained in reconstituted DNA; structural analysis, 485
HMG-17 human chromosomal protein; retropseudogenes, 405
Hoechst 33258 binding to the minor groove of *B*-DNA, 257
Hogg, R. W. (see also Horazdovsky, B. F.), 27
Hogg, R. W. (see also Scripture, J. B.), 37
Horazdovsky, B. F. & Hogg, R. W., High-affinity L-arabinose transport operon. Gene product expression and mRNAs, 27
Horazdovsky, B. F. (see also Scripture, J. B.), 37
Horiuchi, K. (see also Greenstein, D.), 157
Horjales, E., Eklund, H. & Bränden, C.-I., Comparison of computer modelling and X-ray results of the binding of a pyrazole derivative to liver alcohol dehydrogenase, 685
Horowitz, J. (see also Gollnick, P.), 571
Horowitz, J. (see also Hardin, C.C.), 555
Hughes, D., Mutant forms of *tufA* and *tufB* independently suppress nonsense mutations, 611
Human aldolase A gene, characterization of three optional promoters in the 5′ region, 425
Human chromosomal protein HMG-17, retropseudogenes, 405

Hybridization, solution, of crosslinkable DNA oligonucleotides to bacteriophage M13 DNA. Effect of secondary structure on hybridization kinetics and equilibria, 349
Hydrogen exchange behaviour in proteins; the pH dependence of exchange rates in lysozyme, 111

Initiation events in *in vitro* packaging of bacteriophage $\phi 29$ DNA-gp3, 219
Initiation sites, differential activities, and translational control of phage f1 gene expression, 439
Initiator protein, interaction with the replication origin, of the filamentous phage f1; binding occurs in two steps, 157
Interleukin 2, human, recombinant, crystallographic characterization, 373
Ishihama, A. (see also Nomura, T.), 659
Isozyme 3-3 of glutathione *S*-transferase from rat liver, crystallization and a preliminary X-ray diffraction study, 377
Ivey, M. R. (see also Blumer, K. J.), 439

Jacob, M. (see also Sittler, A.), 737
Jahn, W. (see also Popp, D.), 679
Jain, S., Zon, G. & Sundaralingam, M., The potentially *Z*-DNA-forming sequence d(GTGTACAC) crystallizes as *A*-DNA, 141

Kafatos, F. C. (see also Delidakis, C.), 11
Kahn, A. (see also Maire, P.), 425
Karplus, M. (see also Delepierre, M.), 111
Karplus, M. (see also States, D. J.), 122
Kinetics of the spontaneous transient unfolding of a native protein studied with monoclonal antibodies. Monomer/dimer transition in the tryptophan-synthase β_2 subunit, 131
Kister, L. (see also Sittler, A.), 737
Knots and catenanes, description of topological entanglement by a powerful method involving strand passage and recombination, 585

a Mar, G. N. (see also Lecomte, J. T. J.), 101
Landsman, D. (see also Srikantha, T.), 405
Langry, K. C. (see also Lecomte, J. T. J.), 101
Lecomte, J. T. J., La Mar, G. N., Smit, J. D. G., Winterhalter, K. H., Smith, K. M., Langry, K. C. & Leung, H.-K., Structural and electronic properties of the liver fluke hemoglobin heme cavity by nuclear magnetic resonance: hemin isotope labeling, 101
Legall, J. (see also Frey, M.), 525
Lednev, V. V. (see also Popp, D.), 679
Leonard, A. C. (see also Helmstetter, C. E.), 195
Leung, H.-K. (see also Winterhalter, K. H.), 101
Leung, J. (see also Cribbs, D. L.), 397
leuX gene expression, *Escherichia coli*; regulation at transcription and tRNA processing steps, 659
Lilley, D. M. J. (see also McClellan, J. A.), 707
Liver alochol dehydrogenase, binding to a pyrazole derivative, comparison of computer modelling and X-ray results, 685
Liver fluke hemoglobin heme cavity, structural and electronic properties by n.m.r.; hemin isotope labeling, 101
Liver, rat, crystallization and preliminary X-ray diffraction study of isozyme 3-3 of glutathione *S*-transferase, 377
Livingston, D. M. (see also Fagrelius, T. J.), 415
L1NH repeat family of Novikoff hepatoma, characterization, 1
Love, W. E. (see also Royer, W. E., Jr), 149
Lumbricus erythrocruorin crystals, 149
Lysozyme of bacteriophage T4, structural studies of mutants; the temperature-sensitive mutant protein Thr157 → Ile, 315
Lysozyme, the pH dependence of exchange rates; electrostatic effects and hydrogen exchange behaviour in proteins, 111
Lysozyme, pheasant egg-white, complex with anti-hen egg-white lysozyme antibody; preliminary crystallographic study, 375

M13 (see also Bacteriophage), 349
M13mp18 (see also Bacteriophage), 617
McCall, M. J. (see also Drew, H. R.), 485
McClain, W. H. & Seidman, J. G., Genetic conversion of G·C base-pairs to A·U base-pairs in a transfer RNA, 605
McClellan, J. A. & Lilley, D. M. J., A two-state conformational equilibrium for alternating $(A\text{-}T)_n$ sequences in negatively supercoiled DNA, 707
Maier, G. (see also Hatzfeld, M.), 237
Maire, P., Gautron, S., Hakim, V., Gregori, C., Mennecier, F. & Kahn, A., Characterization of three optional promoters in the 5′ region of the human aldolase A gene, 425
Matthews, B. W. (see also Grütter, M. G.), 315
Mechulam, Y., Blanquet, S. & Fayat, G., Dual-level control of the *Escherichia coli pheST-himA* operon expression. $tRNA^{Phe}$-dependent attenuation and transcriptional operator-repressor control by *himA* and the SOS network, 453
Membrane-associated subunits, two, characterization and sequence analysis; ATP synthase from bovine mitochondria, 89
Mennecier, F. (see also Maire, P.), 425
mRNAs and gene product expression; high-affinity L-arabinose transport operon, 27
Microheterogeneity, extensive, of serine tRNA genes from *Drosophila melanogaster*, 397
Microtubules and neurofilaments in axoplasm, X-ray diffraction patterns, 205
Millane, R. P. (see also Park, H.-S.), 513
Miller, R. C., Jr (see also Cribbs, D. L.), 397
Miller, S. (see also Scripture, J. B.), 37
Millett, K. C. (see also White, J. H.), 585
Minichromosome and chromosome segregation mechanism in *Escherichia coli*, 195
Minor groove of *B*-DNA, binding of Hoechst 33258, 257
Mitochondria, bovine, ATP synthase; characterization and sequence analysis of two membrane-associated subunits and of the corresponding cDNAs, 89
Mitochondrial lysate of *Xenopus laevis* oocytes, DNA synthesis; H strand replication *in vitro*, 175
Mobility of individual 5-fluorouridine residues in 5-fluorouracil-substituted *Escherichia coli* valine transfer RNA; a ^{19}F n.m.r. relaxation study, 555
Molecular model of the oxidized form of rubredoxin from *Desulfovibrio gigas*, at 1·4 Å resolution, 525
Monaco, H. L., Zanotti, G., Spadon, P., Bolognesi, M., Sawyer, L. & Eliopoulos, E. E., Crystal structure of the trigonal form of bovine beta-lactoglobulin and of its complex with retinol at 2·5 Å resolution, 695
Monoclonal antibodies in study of the kinetics of the spontaneous transient unfolding of a native protein; monomer/dimer transition in the tryptophan-synthase β_2 subunit, 131
Monomer/dimer transition in the tryptophan-synthase β_2 subunit; kinetics of the spontaneous transient unfolding of a native protein studied with monoclonal antibodies, 131
Morris, E. R. (see also Stevens, E. S.), 743
Mouse tumor basement membrane; structure of low density heparan sulfate proteoglycan, 297
Murphy, N. B. (see also Pays, E.), 147
Mutagenesis, site-directed, a guide; analysis of sequence-similar pentapeptides in unrelated protein tertiary structures, 331
Mutagenesis, site-specific, of the *A** gene reveals that *A** protein is not essential for ϕX174 DNA replication, 47
Mutant forms of *tufA* and *tufB* independently suppress nonsense mutations, 611
Mutants of the lysozyme of bacteriophage T4, structural studies. The temperature-sensitive mutant protein Thr157 → Ile, 315
Myers, J. A. (see also Calvet, J. P.), 543
Myohemerythrin in the azidomet state, structure at 1·7/1·3 Å resolution, 273

Neurofilaments and microtubules in axoplasm, X-ray diffraction patterns, 205
Neurospora crassa qa-1S gene product is homologous to part of the *arom* multifunctional enzyme, 367
Newton, C. H. (see also Cribbs, D. L.), 397

Nicotiana tabacum, a crystal form of ribulose-1,5-biphosphate carboxylase/oxygenase, 363
Nomura, T., Fujita, N. & Ishihama, A., Expression of the *leuX* gene in *Escherichia coli*. Regulation at transcription and tRNA processing steps, 659
Nonsense mutation suppression by mutant forms of *tufA* and *tufB*, 611
Novikoff hepatoma, characterization of the L1NH repeat family, 1
Nuclear magnetic resonance, ^{19}F, as a probe of anticodon structure in 5-fluorouracil-substituted *Escherichia coli* tRNA, 571
Nuclear magnetic resonance, ^{19}F, relaxation study; mobility of individual 5-fluorouridine residues in 5-fluorouracil-substituted *Escherichia coli* valine tRNA, 555
Nuclear magnetic resonance study of structural and electronic properties of the liver fluke hemoglobin heme cavity; hemin isotope labeling, 101
Nucleotide sequence and analysis of gene products; high-affinity L-arabinose transport operon, 37
Nucleotide sequences of three $tRNA^{Ser}$ from *Drosophila melanogaster* reading the six serine codons, 389

O'Donnell, R. T. (see also Scripture, J. B.), 37
Oligodeoxynucleotide 14 residues long, non-enzymatic transcription, 187
Oligonucleotides, DNA, crosslinkable, solution hybridization to the bacteriophage M13 DNA. Effect of secondary structure on hybridization kinetics and equilibria, 349
Oocytes, *Xenopus laevis*, DNA synthesis in a mitochondrial lysate; H strand replication *in vitro*, 175
Orgel, L. E. (see also Acevedo, O. L.), 187
Orientated sols of f-actin containing filaments suitable for X-ray diffraction; methods of preparation, 679

Packaging, *in-vitro*, of bacteriophage ϕ29 DNA-gp3; initiation events, 219
Packaging protein gp16 of bacteriophage ϕ29, prohead and DNA-gp3-dependent ATPase activity, 229
Park, H.-S., Arnott, S., Chandrasekaran, R., Millane, R. P. & Campagnari, F., Structure of the α-form of poly[d(A)]·poly[d(T)] and related polynucleotide duplexes, 513
ϕ29 (see also Bacteriophage), 219, 229
ϕ105 (see also Phage), 55
ϕX174 (see also Bacteriophage), 47
Paulsson, M., Yurchenco, P. D., Ruben, G. C., Engel, J. & Timpl, R., Structure of low density heparan sulfate proteoglycan isolated from a mouse tumor basement membrane, 297
Payan, F. (see also Frey, M.), 525
Pays, E. & Murphy, N. B., DNA-binding fingers encoded by a trypanosome retroposon, 147
Pentapeptides, sequence-similar, in unrelated protein tertiary structures; strategies for protein folding and a guide for site-directed mutagenesis, 331
Pepe, G. (see also Frey, M.), 525
Peterson, C. (see also Guo, P.), 219, 229
pH dependence of exchange rates in lysozyme; electrostatic effects and hydrogen exchange behaviour in proteins, 111
Phage f1 gene expression, translational control by differential activities of the gene V, VII, IX and VIII initiation sites, 439
Phage f1, interaction between the replication origin and the initiator protein; binding occurs in two steps, 157
Phage ϕ105, *Bacillus subtilis*, transcriptional control in the *Eco*RI-F immunity region; identification and unusual structure of the operator, 55
Pheasant egg-white lysozyme antigen, complex with anti-hen egg-white lysozyme antibody; preliminary crystallographic study, 375
pheST-himA operon expression, *Escherichia coli*, dual level control; $tRNA^{Phe}$-dependent attenuation and transcriptional operator-repressor control by *himA* and the SOS network, 453
Pjura, P. E., Grzeskowiak, K. & Dickerson, R. E., Binding of Hoechst 33258 to the minor groove of *B*-DNA, 257
Plant factor acetosyringone induction of *Agrobacterium tumefaciens* virulence proteins; characterization, 635
Plasmid nucleoprotein complex, 2 μm, yeast, changes in the DNase I sensitivity of DNA sequences effected by plasmid-encoded products, 415
Polgar, L. (see also Scripture, J. B.), 37
Poljak, R. J. (see also Guillon, V.), 373
Poly[d(A)]·poly[d(T)], structure of the α-form, 513
Popp, D., Lednev, V. V. & Jahn, W., Methods of preparing well-orientated sols of f-actin containing filaments suitable for X-ray diffraction, 679
Position effects, long-range, and amplification of a chorion gene cluster in *Drosophila*, 11
Poulsen, F. M. (see also Delepierre, M.), 111
Poulter, L. (see also Walker, J. E.), 89
Prohead and DNA-gp3-dependent ATPase activity of the DNA packaging protein gp16 of bacteriophage ϕ29, 229
Promoters, optional, three, in the 5′ region of the human aldolase A gene; characterization, 425
Proteins, electrostatic effects and hydrogen exchange behaviour; the pH dependence of exchange rates in lysozyme, 111
Protein HMG-17, chromosomal, human; retropseudogenes, 405
Proteins, a model for electrostatic effects, 122
Protein, native, kinetics of the spontaneous transient unfolding studied with monoclonal antibodies; monomer/dimer transition in the tryptophan-synthase β_2 subunit, 131
Protein tertiary structures, unrelated; analysis of sequence-similar pentapeptides; strategies for protein folding and a guide for site-directed mutagenesis, 331
Proteoglycan, heparan sulfate, low density, from a mouse tumor basement membrane; structure, 297
Psoralen cross-linking, and *in-vivo* secondary structure analysis of the small nuclear RNA U1, 543
Pyrazole derivative binding to liver alcohol dehydrogenase, comparison of computer modelling and X-ray results, 685

qa-1S gene product of *Neurospora crassa*, a eukaryotic repressor protein, is homologous to part of the *arom* multifunctional enzyme, 367

Rade, J. (see also Scripture, J. B.), 37
Rat liver, crystallization and preliminary X-ray diffraction study of isozyme 3-3 of glutathione *S*-transferase, 377
Recombinant human interleukin 2, crystallographic characterization, 373
Recombination: description of the topological entanglement of DNA catenanes and knots by a powerful method, 585
Rees, D. A. (see also Stevens, E. S.), 743
Regulation at transcription and tRNA processing steps; expression of the *leuX* gene in *Escherichia coli*, 659
Repair of thymine·guanine and uracil·guanine mismatched base-pairs in bacteriophage M13mp18 DNA heteroduplexes, 617
Repeat L1NH family of Novikoff hepatoma, characterization, 1
Replication, H strand, *in vitro*; DNA synthesis in a mitochondrial lysate of *Xenopus laevis* oocytes, 175
Replication mechanism of bacteriophage ϕX174. Site-specific mutagenesis of the *A** gene reveals that *A** protein is not essential for ϕX174 replication, 47
Replication origin, interaction with the initiator protein of the filamentous phage f1; binding occurs in two steps. 157
Repressor protein, eukaryotic, the *qa*-1S gene product of *Neurospora crassa*, is homologous to part of the *arom* multifunctional enzyme, 367
Retinol complex with bovine beta-lactoglobulin, crystal structure at 2·5 Å resolution, 695
Retroposon, trypanosome, and encoding of DNA-binding fingers, 147
Retropseudogenes for human chromosomal protein HMG-17, 405
RNA, nuclear, small, U1, *in-vivo* secondary structure analysis using psoralen cross-linking, 543
Ribulose-1,5-bisphosphate carboxylase/oxygenase, a crystal form from *Nicotiana tabacum* in the activated state, 363

Rossmann, M. G. (see also Silva, A. M.), 69
Royer, W. E., Jr, Hendrickson, W. A. & Love, W. E., Crystals of *Lumbricus* erythrocruorin, 149
Ruben, G. C. (see also Paulsson, M.), 297
Rubredoxin from *Desulfovibrio gigas*. A molecular model of the oxidized form at 1·4 Å resolution, 525
Runswick, M. J. (see also Walker, J. E.), 89

Satellite DNA, feline, origin and evolution, 627
Satir, P. (see also Spungin, B.), 671
Sawyer, L. (see also Monaco, H. L.), 695
Scripture, J. B., Voelker, C., Miller, S., O'Donnell, R. T., Polgar, L., Rade, J., Horazdovsky, B. F. & Hogg, R. W., High-affinity L-arabinose transport operon. Nucleotide sequence and analysis of gene products, 37
Segregation mechanism, chromosome and minichromosome, in *Escherichia coli*, 195
Seidman, J. G. (see also McClain, W. H.), 605
Sequences, alternating $(A\text{-}T)_n$, in negatively supercoiled DNA, a two-state conformational equilibrium, 707
Sequence analysis of two membrane-associated subunits and of the corresponding cDNAs; ATP synthase from bovine mitochondria, 89
Sequence, DNA, within, the yeast 2 μm plasmid nucleoprotein complex, changes in the DNase I sensitivity effected by plasmid-encoded products, 415
Sequence, intervening, excised; *in-vivo* degradation pathway, 737
Sequence, nucleotide, and analysis of gene products; high-affinity L-arabinose transport operon, 37
Sequences, nucleotide, of three $tRNA^{Ser}$ from *Drosophila melanogaster* reading the six serine codons, 389
Sequence-similar pentapeptides in unrelated protein tertiary structures; strategies for protein folding and a guide for site-directed mutagenesis, 331
Sequencing and cloning of the *Escherichia coli gyr*A gene coding for the A subunit of DNA gyrase, 729
Serine tRNA genes from *Drosophila melanogaster*, extensive microheterogeneity, 397
Serine tRNAs from *Drosophila melanogaster*, nucleotide sequences, 389
Sesay, M. A., Ammon, H. L. & Armstrong, R. N., Crystallization and a preliminary X-ray diffraction study of isozyme 3-3 of glutathione *S*-transferase from rat liver, 377
Shenoy, S., Ehrlich, K. C. & Ehrlich, M., Repair of thymine·guanine and uracil·guanine mismatched base-pairs in bacteriophage M13mp18 DNA heteroduplexes, 617
Sheriff, S., Hendrickson, W. A. & Smith, J. L., Structure of myohemerythrin in the azidomet state at 1·7/1·3 Å resolution, 273
Sieker, L. (see also Frey, M.), 525
Silva, A. M. & Rossmann, M. G., Refined structure of southern bean mosaic virus at 2·9 Å resolution, 69
Single-strand-specific endonuclease digestion, and *Trypanosoma brucei* variant-specific glycoprotein gene chromatin, 471
Sittler, A., Gallinaro, H., Kister, L. & Jacob, M., *In-vivo* degradation pathway of an excised intervening sequence, 737
Small nuclear RNA U1, *in-vivo* secondary structure analysis using psoralen cross-linking, 543
Smit, J. D. G. (see also Lecomte, J. T. J.), 101
Smith, J. L. (see also Sheriff, S.), 273
Smith, K. M. (see also Lecomte, J. T. J.), 101
Sols, well-orientated, of f-actin containing filaments suitable for X-ray diffraction; methods of preparation, 679
Southern bean mosaic virus, refined structure at 2·9 Å resolution, 69
Spadon, P. (see also Monaco, H. L.), 695
Spungin, B., Avolio, J., Arden, S. & Satir, P., Dynein arm attachment probed with a non-hydrozable ATP analog. Structural evidence for patterns of activity, 671
Srikantha, T., Landsman, D. & Bustin, M., Retropseudogenes for human chromosomal protein HMG-17, 405
Stachel, S. (see also Engström, P.), 635
States, D. J. & Karplus, M., A model for electrostatic effects in proteins (*Appendix* to Delepierre, M. *et al.*, 111), 122
States, D. J. (see also Delepierre, M.), 111
Steege, D. A. (see also Blumer, K. J.), 439
Stevens, E. S., Morris, E. R., Charlton, J. A. & Rees, D. A., Vacuum ultraviolet circular dichroism of fibronectin. Dominant tyrosine effects, 743
Strand, A. D. (see also Fagrelius, T. J.), 415
Structural analysis of a reconstituted DNA containing three histone octamers and histone H5, 485
Structural and electronic properties of the liver fluke hemoglobin heme cavity by n.m.r.: hemin isotope labeling, 101
Structural evidence for patterns of activity. Dynein arm attachment probed with a non-hydrolyzable ATP analog, 671
Structural studies of mutants of the lysozyme of bacteriophage T4. The temperature-sensitive mutant protein Thr157 → Ile, 315
Structure analysis, *in-vivo*, secondary, of the small nuclear RNA U1 using psoralen cross-linking, 543
Structure, crystal, of the trigonal form of bovine beta-lactoglobulin and of its complex with retinol at 2·5 Å resolution, 695
Structure of low density heparan sulfate proteoglycan isolated from a mouse tumor basement membrane, 297
Structure of the α-form of poly[d(A)]·poly[d(T)] and related polynucleotide duplexes, 513
Structure of myohemerythrin in the azidomet state at 1·7/1·3 Å resolution, 273
Structure, refined, of southern bean mosaic virus at 2·9 Å resolution, 69
Structure, secondary, effect on hybridization kinetics and equilibria; solution hybridization of crosslinkable DNA oligonucleotides to bacteriophage M13 DNA, 349
Structures, tertiary, protein, unrelated; analysis of sequence-similar pentapeptides; strategies for protein folding and a guide for site-directed mutagenesis, 331
Structure, unusual, of operator; transcriptional control in the *Eco*RI-F immunity region of *Bacillus subtilis* phage ϕ105, 55
Subsequence alignments, best, a new algorithm, with application to tRNA–rRNA comparisons, 723
Suh, S. W., Cascio, D., Chapman, M. S. & Eisenberg, D., A crystal form of ribulose-1,5-bisphosphate carboxylase/oxygenase from *Nicotiana tabacum* in the activated state, 363
Sundaralingam, M. (see also Jain, S.), 141
Supercoiled DNA, a two-state conformational equilibrium for alternating $(A\text{-}T)_n$ sequences, 707
Swanberg, S. L. & Wang, J. C., Cloning and sequencing of the *Escherichia coli gyr*A gene coding for the A subunit of DNA gyrase, 729

T4 (see also Bacteriophage), 315
Temperature-sensitive mutant protein Thr157 → Ile; structural studies of mutants of the lysozyme of bacteriophage T4, 315
Tener, G. M. (see also Cribbs, D. L.), 389, 397
Thymine·guanine and uracil·guanine mismatched base-pair repair in bacteriophage M13mp18 DNA heteroduplexes, 617
Thr157 → Ile temperature-sensitive mutant protein; structural studies of mutants of the lysozyme of bacteriophage T4, 315
Timpl, R. (see also Paulsson, M.), 297
Tomita, K-i. (see also Fujishima, A.), 373
Topological entanglement of DNA catenanes and knots, description by a powerful method involving strand passage and recombination, 585
Tora, L., Financsek, I. & Hidvégi, E. J., Characterization of the L1NH repeat family of Novikoff hepatoma, 1
Transcription, non-enzymatic, of an oligodeoxynucleotide 14 residues long, 187
Transcription termination, tRNA-*tufB* operon, and processing upstream from *tufB*, 647
Transcription and tRNA processing steps, regulation; expression of the *leuX* gene in *Escherichia coli*, 659
Transcriptional control in the *Eco*RI-F immunity region of *Bacillus subtilis* phage ϕ105. Identification and unusual structure of the operator, 55
Transfer RNA, *Escherichia coli*, 5-fluorouracil-substituted, ^{19}F n.m.r. as a probe of anticodon structure, 571

tRNA genes, serine, from *Drosophila melanogaster*, extensive microheterogeneity, 397
Transfer RNA, genetic conversion of G·C base-pairs to A·U base-pairs, 605
tRNA processing regulation; expression of the *leuX* gene in *Escherichia coli*, 659
tRNA–rRNA comparisons, application of a new algorithm for best subsequence alignments, 723
$tRNA^{Phe}$-dependent attenuation and transcriptional operator-repressor control by *himA* and the SOS network; dual level control of the *Escherichia coli pheST-himA* operon expression, 453
tRNAs, serine, three, from *Drosophila melanogaster*, nucleotide sequences, 389
tRNA-*tufB* operon transcription termination and processing upstream from *tufB*, 647
$tRNA^{Val}$, *Escherichia coli*, 5-fluorouracil-substituted, and mobility of individual 5-fluorouridine residues; a ^{19}F n.m.r. relaxation study, 555
Translational control of phage f1 gene expression by differential activities of the gene V, VII, IX and VIII initiation sites, 439
Transport operon, L-arabinose, high-affinity; gene product expression and mRNAs, 27
Transport operon, L-arabinose, high-affinity; nucleotide sequence and analysis of gene products, 37
Trypanosoma brucei variant-specific glycoprotein gene chromatin is sensitive to single-strand-specific endonuclease digestion, 471
Trypanosome retroposon and encodoing of DNA-binding fingers, 147
Tryptophan-synthase β_2 subunit, monomer/dimer transition; kinetics of the spontaneous transient unfolding of a native protein studied with monoclonal antibodies, 131
tufA and *tufB* mutant forms independently suppress nonsense mutations, 611
tufB, the tRNA-*tufB* operon transcription termination and processing upstream, 647
Tumor basement membrane, mouse; structure of low density heparan sulfate proteoglycan, 297
Tyrosine effects, vacuum ultraviolet circular dichroism of fibronectin, 743

Unfolding, transient, spontaneous, of a native protein, kinetics studied with monoclonal antibodies; monomer/dimer transition in the tryptophan-synthase β_2 subunit, 131
Uracil·guanine and thymine·guanine mismatched base-pair repair in bacteriophage M13mp18 DNA heteroduplexes, 617
Vacuum ultraviolet circular dichroism of fibronectin. Dominant tyrosine effects, 743
Van Kaer, L., Van Montagu, M. & Dhaese, P., Transcriptional control in the *Eco*RI-F immunity region of *Bacillus subtilis* phage ϕ105. Identification and unusual structure of the operator, 55
Van Montagu, M. (see also Engström, P.), 635
Van Montagu, M. (see also Van Kaer, L.), 55
Variant-specific glycoprotein gene chromatin, *Trypanosoma brucei*, is sensitive to single-strand-specific endonuclease digestion, 471
Vertebrate genes, codon distribution may be used to predict gene length, 379
Virulence proteins, *Agrobacterium tumefaciens*, induced by the plant factor acetosyringone; characterization, 635
Virus, southern bean mosaic, refined structure at 2·9 Å resolution, 69
Voelker, C. (see also Scripture, J. B.), 37

Wais-Steider, C., White, N. S., Gilbert, D. S. & Eagles, P. A. M., X-ray diffraction patterns from microtubules and neurofilaments in axoplasm, 205
Walker, J. E., Runswick, M. J. & Poulter, L., ATP synthase from bovine mitochondria. The characterization and sequence analysis of two membrane-associated sub-units and of the corresponding cDNAs, 89
Wang, J. C. (see also Swanberg, S. L.), 729
Waterman, M. S. & Eggert, M., A new algorithm for best subsequence alignments with application to tRNA–rRNA comparisons, 723
Weaver, L. H. (see also Grütter, M. G.), 315
Wedin, R. E. (see also Delepierre, M.), 111
White, J. H., Millett, K. C. & Cozzarelli, N. R., Description of the topological entanglement of DNA catenanes and knots by a powerful method involving strand passage and recombination, 585
White, N. S. (see also Wais-Steider, C.), 205
Wilson, K. (see also Grütter, M. G.), 315
Winterhalter, K. H. (see also Lecomte, J. T. J.), 101

Xenopus laevis oocytes, DNA synthesis in a mitochondrial lysate; H strand replication *in vitro*, 175
X-ray diffraction, methods of preparing well-orientated sols of f-actin containing suitable filaments, 679
X-ray diffraction patterns from microtubules and neurofilaments in axoplasm, 205
X-ray diffraction study, preliminary, of isozyme 3-3 of glutathione *S*-transferase from rat liver, 377
X-ray results compared with computer modelling for the binding of a pyrazole derivative to liver alcohol dehydrogenase, 685

Yeast 2 μm plasmid nucleoprotein complex, changes in the DNase I sensitivity of DNA sequences effected by plasmid-encoded products, 415
Yurchenco, P. D. (see also Paulsson, M.), 297

Zambryski, P. (see also Engström, P.), 635
Zanotti, G. (see also Monaco, H. L.), 695
Zon, G. (see also Jain, S.), 141